

**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-1-1-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**Z100 max, Z100 max g**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-19-2017

8.Declared performance:

<b>Harmonized technical specification</b>	<b>EN 13240:2001/A2:2004/AC:2007</b>
<b>Essential characteristics</b>	<b>Performance</b>
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=600 rear=600 front=1500
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0921 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [237°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	8.3 kW -wood;
Room heating output	8.3 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [75.11%] -wood;
<b>Emission of combustion products</b>	dust [36.5 mg/m³] -wood;
	NOx [99.74 mg/m³] -wood;
	CxHy [71.17 mg/m³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-1-2-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**E100 lux**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-19-2017

8.Declared performance:

<b>Harmonized technical specification</b>	<b>EN 13240:2001/A2:2004/AC:2007</b>
<b>Essential characteristics</b>	<b>Performance</b>
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=600 front=1000
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0921 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [237°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	13 kW -wood;
Room heating output	13 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [75.11%] -wood;
<b>Emission of combustion products</b>	dust [36.50 mg/m <sup>3</sup> ] -wood;
	NOx [99.74 mg/m <sup>3</sup> ] -wood;
	CxHy [71.17 mg/m <sup>3</sup> ] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-2-2-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**Z360**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe №12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-28-2018

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=1000
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0796 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [175°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	7 kW -wood;
Room heating output	7 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	$\eta$ [79.96%] -wood;
<b>Emission of combustion products</b>	dust [38.8 mg/m <sup>3</sup> ] -wood;
	NOx [92.35 mg/m <sup>3</sup> ] -wood;
	CxHy [61.92 mg/m <sup>3</sup> ] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-2-3-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**Z100**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-28-2018

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=1000
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0796 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [175°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	9 kW -wood;
Room heating output	9 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	$\eta$ [79.96%] -wood;
<b>Emission of combustion products</b>	dust [38.8 mg/m <sup>3</sup> ] -wood;
	NOx [92.35 mg/m <sup>3</sup> ] -wood;
	CxHy [61.92 mg/m <sup>3</sup> ] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-2-4-CPR-2020**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**Z360m**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe №12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-28-2018

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=650 rear=400 front=1000
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0796 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [175°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	7 kW -wood;
Room heating output	7 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [79.96%] -wood;
<b>Emission of combustion products</b>	dust [38.8 mg/m³] -wood;
	NOx [92.35 mg/m³] -wood;
	CxHy [61.92 mg/m³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.07.2020  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-3-1-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**D100 k, D100, D100s**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe №12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-09-2011

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=1400
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0988 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [233°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	7.22 kW -wood;
Room heating output	7.22 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [75.75%] -wood;
<b>Emission of combustion products</b>	dust [39.10 mg/m <sup>3</sup> ] -wood;
	NOx [98.90 mg/m <sup>3</sup> ] -wood;
	CxHy [81.39 mg/m <sup>3</sup> ] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-5-2-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**H100, H100 a, H100 lux, H100 lux a, I100 s, I100 a, F100k, C400**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-20-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=350 rear=350 front=800
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0907 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [267°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	14 kW -wood;
Room heating output	14 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [76.87%] -wood;
<b>Emission of combustion products</b>	dust [33.9 mg/m³] -wood;
	NOx [117.97 mg/m³] -wood;
	CxHy [69.42 mg/m³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis







**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-5-4-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**Q100 lux**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5):  
**Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-20-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=600 rear=600 front=800
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0907 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [267°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	15.00 kW -wood;
Room heating output	15.00 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	$\eta$ [76.87%] -wood;
<b>Emission of combustion products</b>	dust [33.90 mg/m <sup>3</sup> ] -wood;
	NOx [117.97 mg/m <sup>3</sup> ] -wood;
	CxHy [69.42 mg/m <sup>3</sup> ] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis





**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-5-6-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**H100sm k, H100sm ak**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe №12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-20-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=250 rear=250 front=800
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0907 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [267°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	11 kW -wood;
Room heating output	11 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [76.87%] -wood;
<b>Emission of combustion products</b>	dust [33.9 mg/m³] -wood;
	NOx [117.97 mg/m³] -wood;
	CxHy [69.42 mg/m³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-5-8-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**E100**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-20-2014

8.Declared performance:

<b>Harmonized technical specification</b>	<b>EN 13240:2001/A2:2004/AC:2007</b>
<b>Essential characteristics</b>	<b>Performance</b>
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=350 rear=650 front=800
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0907 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [267°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	13 kW -wood;
Room heating output	13 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [76.87%] -wood;
<b>Emission of combustion products</b>	dust [33.9 mg/m³] -wood;
	NOx [117.97 mg/m³] -wood;
	CxHy [69.42 mg/m³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-5-14-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**R100 lux**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-20-2014

8.Declared performance:

<b>Harmonized technical specification</b>	<b>EN 13240:2001/A2:2004/AC:2007</b>
<b>Essential characteristics</b>	<b>Performance</b>
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=450 rear=400 front=1300
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0907 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [267°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	11 kW -wood;
Room heating output	11 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	$\eta$ [76.87%] -wood;
<b>Emission of combustion products</b>	dust [33.9 mg/m <sup>3</sup> ] -wood;
	NOx [117.97 mg/m <sup>3</sup> ] -wood;
	CxHy [69.42 mg/m <sup>3</sup> ] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-6-1-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**C420 b**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe №12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-07-2012

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=250 front=1000
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0738 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	2 bar
<b>Flue gas temperature at nominal heat output</b>	T [276°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	14.43 kW -wood;
Room heating output	6.80 kW -wood;
Water heating output	7.63 kW -wood;
<b>Energy efficiency</b>	η [79.53%] -wood;
<b>Emission of combustion products</b>	dust [36.4 mg/m³] -wood;
	NOx [120.66 mg/m³] -wood;
	CxHy [85.49 mg/m³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-6-3-CPR-2023**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**E200 b, E200 bo**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-07-2012

8.Declared performance:

<b>Harmonized technical specification</b>	<b>EN 13240:2001/A2:2004/AC:2007</b>
<b>Essential characteristics</b>	<b>Performance</b>
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=250 front=1000
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0738 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	2 bar
<b>Flue gas temperature at nominal heat output</b>	T [276°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	13 kW -wood;
Room heating output	5.50 kW -wood;
Water heating output	7.50 kW -wood;
<b>Energy efficiency</b>	η [79.53%] -wood;
<b>Emission of combustion products</b>	dust [36.4 mg/m³] -wood;
	NOx [120.66 mg/m³] -wood;
	CxHy [85.49 mg/m³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

04.09.2023  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-6-4-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**R200 lux b, R200 lux bo**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-07-2012

8.Declared performance:

<b>Harmonized technical specification</b>	<b>EN 13240:2001/A2:2004/AC:2007</b>
<b>Essential characteristics</b>	<b>Performance</b>
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=250 front=1000
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0738 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	2 bar
<b>Flue gas temperature at nominal heat output</b>	T [276°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	11.00 kW -wood;
Room heating output	6.00 kW -wood;
Water heating output	5.00 kW -wood;
<b>Energy efficiency</b>	η [79.53%] -wood;
<b>Emission of combustion products</b>	dust [36.4 mg/m³] -wood;
	NOx [120.66 mg/m³] -wood;
	CxHy [85.49 mg/m³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-6-5-CPR-2022**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**H200b, H200 bo-tv**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-07-2012

8.Declared performance:

<b>Harmonized technical specification</b>	<b>EN 13240:2001/A2:2004/AC:2007</b>
<b>Essential characteristics</b>	<b>Performance</b>
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=300 rear=250 front=800
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0738 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	2 bar
<b>Flue gas temperature at nominal heat output</b>	T [276°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	14.1 kW -wood;
Room heating output	6.55 kW -wood;
Water heating output	7.55 kW -wood;
<b>Energy efficiency</b>	η [79.53%] -wood;
<b>Emission of combustion products</b>	dust [36.4 mg/m³] -wood;
	NOx [120.66 mg/m³] -wood;
	CxHy [85.49 mg/m³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.01.2022  
Plovdiv

Manager: Paris Panagiotidis





**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-6-6-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**Q200 lux b**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-07-2012

8.Declared performance:

<b>Harmonized technical specification</b>	<b>EN 13240:2001/A2:2004/AC:2007</b>
<b>Essential characteristics</b>	<b>Performance</b>
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=300 rear=250 front=800
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0738 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	2 bar
<b>Flue gas temperature at nominal heat output</b>	T [276°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	15.00 kW -wood;
Room heating output	7.50 kW -wood;
Water heating output	7.50 kW -wood;
<b>Energy efficiency</b>	η [79.53%] -wood;
<b>Emission of combustion products</b>	dust [36.4 mg/m³] -wood;
	NOx [120.67 mg/m³] -wood;
	CxHy [85.49 mg/m³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-6-7-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**H200 sm kb**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe №12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-07-2012

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=250 rear=250 front=800
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0738 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	2 bar
<b>Flue gas temperature at nominal heat output</b>	T [276°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	11 kW -wood;
Room heating output	4 kW -wood;
Water heating output	7 kW -wood;
<b>Energy efficiency</b>	η [79.53%] -wood;
<b>Emission of combustion products</b>	dust [36.4 mg/m³] -wood;
	NOx [120.66 mg/m³] -wood;
	CxHy [85.49 mg/m³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-6-8-CPR-2022**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**P200 b**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-07-2012

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=250 rear=250 front=800
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0738 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	2 bar
<b>Flue gas temperature at nominal heat output</b>	T [276°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	12.14 kW -wood;
Room heating output	5.08 kW -wood;
Water heating output	7.06 kW -wood;
<b>Energy efficiency</b>	η [79.53%] -wood;
<b>Emission of combustion products</b>	dust [36.4 mg/m³] -wood;
	NOx [120.66 mg/m³] -wood;
	CxHy [85.49 mg/m³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.01.2022  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-6-9-CPR-2022**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**N200 b**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace with hot water supply, for intermittent burning with firedoors closed, intended for rooms heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-07-2012

8.Declared performance:

<b>Harmonized technical specification</b>	<b>EN 13240:2001/A2:2004/AC:2007</b>
<b>Essential characteristics</b>	<b>Performance</b>
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=250 rear=250 front=800
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0738 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	2 bar
<b>Flue gas temperature at nominal heat output</b>	T [276°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	9.26 kW -wood;
Room heating output	4.19 kW -wood;
Water heating output	5.07 kW -wood;
<b>Energy efficiency</b>	η [79.53%] -wood;
<b>Emission of combustion products</b>	dust [36.4 mg/m³] -wood;
	NOx [120.66 mg/m³] -wood;
	CxHy [85.49 mg/m³]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.01.2022  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-7-1-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**L101**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe №12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-06-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=300 rear=350 front=1100
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0773 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [223°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	7.16 kW -wood;
Room heating output	7.16 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [83.08%] -wood;
<b>Emission of combustion products</b>	dust [25.8 mg/m³] -wood;
	NOx 84.87 mg/m³] -wood;
	CxHy [52.54 mg/m³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-7-2-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – residential cookers fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**M100, M100 s**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Free standing fireplace without hot water supply, for intermittent burning with firedoors closed, intended for rooms heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB 1879-K-06-2019

8.Declared performance:


Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=700 rear=400 front=1100
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0,0773 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [223°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	7,16 kW -wood;
Room heating output	7,16 kW -wood;
Water heating output	- kW -wood;
<b>Energy efficiency</b>	$\eta$ [83.08%] -wood;
<b>Emission of combustion products</b>	dust [25,8 mg/m <sup>3</sup> ] -wood;
	NOx [84,87 mg/m <sup>3</sup> ] -wood;
	CxHy [52,54 mg/m <sup>3</sup> ]

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-7-4-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**L100**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5):  
**Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-06-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=250 rear=250 front=1100
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0773 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [223°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	9.15 kW -wood;
Room heating output	9.15 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [83.08%] -wood;
<b>Emission of combustion products</b>	dust [25.8 mg/m³] -wood;
	NOx [84.87 mg/m³] -wood;
	CxHy [52.54 mg/m³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis





**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-7-6-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**N100**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe №12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-06-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=1100
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0773 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [223°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	9.15 kW -wood;
Room heating output	9.15 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [83.08%] -wood;
<b>Emission of combustion products</b>	dust [25.8 mg/m³] -wood;
	NOx [84.87 mg/m³] -wood;
	CxHy [52.54 mg/m³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-7-8-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**Q100, O100, P100 lg**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe №12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-06-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=650 rear=650 front=1100
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0773 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [223°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	9.0 kW -wood;
Room heating output	9.0 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [83.08%] -wood;
<b>Emission of combustion products</b>	dust [25.8 mg/m³] -wood;
	NOx [84.87 mg/m³] -wood;
	CxHy [52.54 mg/m³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-7-9-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**P100, P100 e**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe №12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-06-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=650 rear=650 front=1100
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0773 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [223°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	11.9 kW -wood;
Room heating output	11.9 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [83.08%] -wood;
<b>Emission of combustion products</b>	dust [25.8 mg/m³] -wood;
	NOx [84.87 mg/m³] -wood;
	CxHy [52.54 mg/m³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-7-10-CPR-2022**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**EV100 lux**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-06-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=350 rear=350 front=1100
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0773 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [223°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	12 kW -wood;
Room heating output	12 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [83.08%] -wood;
<b>Emission of combustion products</b>	dust [25.8 mg/m³] -wood;
	NOx [84.87 mg/m³] -wood;
	CxHy [52.54 mg/m³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.01.2022  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-7-11-CPR-2022**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**P100 m, P102 I**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe №12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-06-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=650 rear=650 front=1100
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0773 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [223°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	10 kW -wood;
Room heating output	10 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [83.08%] -wood;
<b>Emission of combustion products</b>	dust [25.8 mg/m³] -wood;
	NOx 84.87 mg/m³] -wood;
	CxHy [52.54 mg/m³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.01.2022  
Plovdiv

Manager: Paris Panagiotidis





**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-7-14-CPR-2020**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**X100**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-06-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=300 rear=350 front=1100
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0773 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [223°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	7.00 kW -wood;
Room heating output	7.00 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	$\eta$ [83.08%] -wood;
<b>Emission of combustion products</b>	dust [25.80 mg/m <sup>3</sup> ] -wood;
	NOx [84.87 mg/m <sup>3</sup> ] -wood;
	CxHy [52.54 mg/m <sup>3</sup> ] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.02.2020  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-7-15-CPR-2020**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**X100 sm**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe №12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-06-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=650 rear=650 front=1100
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0773 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [223°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	9.0 kW -wood;
Room heating output	9.0 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [83.08%] -wood;
<b>Emission of combustion products</b>	dust [25.8 mg/m³] -wood;
	NOx [84.87 mg/m³] -wood;
	CxHy [52.54 mg/m³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.02.2020  
Plovdiv

Manager: Paris Panagiotidis





**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-9-3-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**P100 sm**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe №12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-03-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=500 rear=500 front=800
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.088 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [223°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	7.0 kW -wood;
Room heating output	7.0 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [80.01%] -wood;
<b>Emission of combustion products</b>	dust [39.50 mg/m <sup>3</sup> ] -wood;
	NOx [118.30 mg/m <sup>3</sup> ] -wood;
	CxHy [70.08 mg/m <sup>3</sup> ] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis





**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-9-4-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**R100**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5):  
**Line Stoves LTD**  
Bld Kuklensko shoshe №12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-03-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=500 rear=500 front=800
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0880 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [223°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	6.00 kW -wood;
Room heating output	6.00 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	$\eta$ [80.01%] -wood;
<b>Emission of combustion products</b>	dust [39.50 mg/m <sup>3</sup> ] -wood;
	NOx [118.30 mg/m <sup>3</sup> ] -wood;
	CxHy [70.08 mg/m <sup>3</sup> ] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-9-6-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**S100 lux**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe №12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-03-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=450 rear=450 front=1000
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.088 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [223°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	8.25 kW -wood;
Room heating output	8.25 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	$\eta$ [80.01%] -wood;
<b>Emission of combustion products</b>	dust [39.5 mg/m <sup>3</sup> ] -wood;
	NOx [118.3 mg/m <sup>3</sup> ] -wood;
	CxHy [70.08 mg/m <sup>3</sup> ] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis





**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-9-7-CPR-2020**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**X101, X101I, X101sl**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-03-2014

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=450 rear=450 front=800
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0880 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [223°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	5.00 kW -wood;
Room heating output	5.00 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	$\eta$ [80.01%] -wood;
<b>Emission of combustion products</b>	dust [39.50 mg/m <sup>3</sup> ] -wood;
	NOx [118.30 mg/m <sup>3</sup> ] -wood;
	CxHy [70.08 mg/m <sup>3</sup> ] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.02.2020  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-10-3-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**H300 f**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-04-2019

8.Declared performance:

<b>Harmonized technical specification</b>	<b>EN 13240:2001/A2:2004/AC:2007</b>
<b>Essential characteristics</b>	<b>Performance</b>
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=400 rear=400 front=1000
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0988 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [230°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	12 kW -wood;
Room heating output	12 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [76.91%] -wood;
<b>Emission of combustion products</b>	dust [26.4 mg/m³] -wood;
	NOx [100.04 mg/m³] -wood;
	CxHy [67.55 mg/m³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-10-4-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**Q300 lux f**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-04-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=700 rear=500 front=1000
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0988 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [230°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	15 kW -wood;
Room heating output	15 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [76.91%] -wood;
<b>Emission of combustion products</b>	dust [26.4 mg/m³] -wood;
	NOx [100.04 mg/m³] -wood;
	CxHy [67.55 mg/m³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-10-5-CPR-2019**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**P300 f**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe №12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-04-2019

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=700 rear=500 front=1000
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0988 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [230°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	11.3 kW -wood;
Room heating output	11.3 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	η [76.91%] -wood;
<b>Emission of combustion products</b>	dust [26.4 mg/m³] -wood;
	NOx [100.04 mg/m³] -wood;
	CxHy [67.55 mg/m³] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.04.2019  
Plovdiv

Manager: Paris Panagiotidis







**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-15-1-CPR-2020**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**X102m**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5):  
**Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-08-2020

8.Declared performance:

<b>Harmonized technical specification</b>	<b>EN 13240:2001/A2:2004/AC:2007</b>
<b>Essential characteristics</b>	<b>Performance</b>
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=800 rear=300 front=1400
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0396 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [244°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	9.76 kW -wood;
Room heating output	9.76 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	$\eta$ [82.05%] -wood;
<b>Emission of combustion products</b>	dust [26.20 mg/m <sup>3</sup> ] -wood;
	NOx [104.86 mg/m <sup>3</sup> ] -wood;
	CxHy [71.23 mg/m <sup>3</sup> ] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.07.2020  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-15-2-CPR-2020**

- 1.Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**X102, X102 I**
- 2.Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
- 3.Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
- 4.Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe No12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
- 5.Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
- 6.System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
- 7.In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-08-2020

8.Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=600 rear=300 front=1400
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0396 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [244°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	9.76 kW -wood;
Room heating output	9.76 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	$\eta$ [82.05%] -wood;
<b>Emission of combustion products</b>	dust [26.20 mg/m <sup>3</sup> ] -wood;
	NOx [104.86 mg/m <sup>3</sup> ] -wood;
	CxHy [71.23 mg/m <sup>3</sup> ] -wood;

9.The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

01.07.2020  
Plovdiv

Manager: Paris Panagiotidis



**DECLARATION OF PERFORMANCE**  
**according to Regulation (EC) 305/2011**  
**№ 1-16-1-CPR-2021**

1. Unique identification code of the product-type: Area code 27 – roomheaters fired by solid fuel  
EN 13240:2001/A2:2004/AC:2007  
**X103**
2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4): Serial № (see rating label on the product).
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Freestanding fireplace without hot water supply, for intermittent burning with firedoors closed, intended for room heating.
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11 (5): **Line Stoves LTD**  
Bld Kuklensko shoshe №12, RT Business center, Office 6  
4004 Plovdiv, Republic of Bulgaria  
E-mail: [info@linestoves.com](mailto:info@linestoves.com)
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2): -
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 3
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: **Kontrol 94 Ltd.**  
2 Mladost Str., 5100 Gorna Oryahovitsa  
Republic of Bulgaria, Body: NB1879  
Test report: NB1879-K-08-2020

8. Declared performance:

Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
<b>Fire safety</b>	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm sides=500 rear=500 front=1200
Risk of burning fuel falling out	Pass
<b>Emission of combustion products</b>	CO [0.0834 %] -wood;
<b>Surface temperature</b>	Pass (operating tool)
<b>Electrical safety</b>	NPD
<b>Cleanability</b>	Pass
<b>Maximum water operating pressure</b>	- bar
<b>Flue gas temperature at nominal heat output</b>	T [225°C] -wood;
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD
<b>Thermal output</b>	
Nominal heat output	7.61 kW -wood;
Room heating output	7.61 kW -wood;
Water heating output	- kW
<b>Energy efficiency</b>	$\eta$ [80.54%] -wood;
<b>Emission of combustion products</b>	dust [28.60 mg/m <sup>3</sup> ] -wood;
	NOx [108.39 mg/m <sup>3</sup> ] -wood;
	CxHy [31.93 mg/m <sup>3</sup> ] -wood;

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

23.01.2021  
Plovdiv

Manager: Paris Panagiotidis

